



04-01-041

2832

**IN THE UNITED STATES PATENT AND
TRADEMARK OFFICE**

In re Application of:
Bruce Bower et al.
Serial No. 10/720,293
Filed: November 24, 2003
For: Current Control Device

Group 2832
Examiner: Karl D. Easthom

REPLY TO RESTRICTION UNDER 35 U.S.C. 121

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

In reply to the Office Action dated March 29, 2004, Applicant elects Group II and species in claim 7.

Applicant respectfully requests further examination.

Respectfully submitted,

Michael G. Crilly, Esquire
Registration No. 44,631
104 South York Road
Hatboro, PA 19040
Telephone: 215-672-6220
Fax: 215-672-1639
Email: crilly@erols.com



Express Mail Certificate

Applicant: Bruce Bower et al.

Application: Current Control Device

SERIAL No.: 10/720,293

Express Mail No.: EL948276843US

Date of Deposit: March 31, 2004

I hereby certify that this Reply to Office Action is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date shown above and is addressed to the Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Michael G. Crilly

Patent Attorney

Registration No. 44,631